

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("6687766" "7085860" "6807579").pn.	US-PGPUB; USPAT	OR	ON	2008/11/14 08:16
S1	11	("5684800" "5734652" "5884017" "5917805" "6035414" "6084876" "6131169" "6138161" "6148004" "6195703" "6327621").pn.	US-PGPUB; USPAT	OR	ON	2006/08/28 09:14
S2	3	("5276813" "5420988" "6084859").pn.	US-PGPUB; USPAT	OR	ON	2006/08/28 11:07
S3	540	(@ad<"20011203" or @rlad<"20011203") and (server with partition\$3) and (request with address)	US-PGPUB; USPAT	OR	ON	2006/08/28 11:09
S4	23	(@ad<"20011203" or @rlad<"20011203") and (server with partition\$3) and (request with address with partition)	US-PGPUB; USPAT	OR	ON	2006/08/29 08:42
S5	0	(@ad<"20011203" or @rlad<"20011203") and (server with partition\$3) and (request with address with partition with each)	US-PGPUB; USPAT	OR	ON	2006/08/28 11:09
S6	23	(@ad<"20011203" or @rlad<"20011203") and (server with partition\$3) and (request with address with partition)	US-PGPUB; USPAT	OR	ON	2007/02/20 08:35
S7	20	(@ad<"20011203" or @rlad<"20011203") and (server with partition\$3) and (assign\$3 with address with partition)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:32
S8	20	(@ad<"20011203" or @rlad<"20011203") and (server with partition\$3) and (assign\$3 with port with partition)	US-PGPUB; USPAT	OR	ON	2006/08/28 11:20

S9	0	(@ad<"20011203" or @rlad<"20011203") and (server with partition\$3) and (assign\$3 with port near2 partition)	US-PGPUB; USPAT	OR	ON	2006/08/28 11:19
S10	121	(@ad<"20011203" or @rlad<"20011203") and (request with address with partition)	US-PGPUB; USPAT	OR	ON	2006/08/28 11:20
S11	3	(@ad<"20011203" or @rlad<"20011203") and (request with address with partition) and (assign with address with partition)	US-PGPUB; USPAT	OR	ON	2006/08/28 11:21
S12	166	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 with address with partition)	US-PGPUB; USPAT	OR	ON	2006/08/28 11:21
S13	19921	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 near2 address near2partition)	US-PGPUB; USPAT	OR	ON	2006/08/28 11:21
S14	53	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 near2 address near2 partition)	US-PGPUB; USPAT	OR	ON	2006/08/28 11:22
S15	18	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 near2 address near2 partition) and server	US-PGPUB; USPAT	OR	ON	2006/08/28 14:07
S16	1	(@ad<"20011203" or @rlad<"20011203") and "5740438".pn.	US-PGPUB; USPAT	OR	ON	2006/08/28 14:07
S17	115	(@ad<"20011203" or @rlad<"20011203") and (request\$3 with propos\$3 with address)	US-PGPUB; USPAT	OR	ON	2006/08/29 08:43
S18	21	(@ad<"20011203" or @rlad<"20011203") and (request\$3 with propos\$3 near2 address)	US-PGPUB; USPAT	OR	ON	2006/08/29 08:46
S19	12	(@ad<"20011203" or @rlad<"20011203") and (allocat\$3 with propos\$3 near2 address)	US-PGPUB; USPAT	OR	ON	2006/08/29 08:48
S20	7	(@ad<"20011203" or @rlad<"20011203") and (allocat\$3 with suggest\$3 near2 address)	US-PGPUB; USPAT	OR	ON	2006/08/29 08:48

S21	12	(@ad<"20011203" or @rlad<"20011203") and (request\$3 with suggest\$3 near2 address)	US-PGPUB; USPAT	OR	ON	2006/08/29 08:54
S22	422	(@ad<"20011203" or @rlad<"20011203") and (send\$3 with updat\$3 near2 address)	US-PGPUB; USPAT	OR	ON	2006/08/29 08:54
S23	104	(@ad<"20011203" or @rlad<"20011203") and (send\$3 with updat\$3 near2 address with table)	US-PGPUB; USPAT	OR	ON	2006/08/29 08:54
S24	8	(@ad<"20011203" or @rlad<"20011203") and (request near2 (address or ID) near2 partition)	US-PGPUB; USPAT	OR	ON	2007/02/20 08:40
S25	14	(@ad<"20011203" or @rlad<"20011203") and (assign near2 (address or ID) near2 partition)	US-PGPUB; USPAT	OR	ON	2007/02/20 08:42
S26	25	(@ad<"20011203" or @rlad<"20011203") and (request\$3 near2 (address or ID) near2 partition)	US-PGPUB; USPAT	OR	ON	2007/02/20 08:41
S27	1	(@ad<"20011203" or @rlad<"20011203") and (request\$3 near2 (address or ID) near2 partition) not "15"	US-PGPUB; USPAT	OR	ON	2007/02/20 08:41
S29	71	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 near2 (address or ID) near2 partition)	US-PGPUB; USPAT	OR	ON	2007/02/20 08:48
S30	32	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 near2 (address or ID) near2 partition) and server	US-PGPUB; USPAT	OR	ON	2007/02/20 08:48
S31	25	(@ad<"20011203" or @rlad<"20011203") and (request\$3 near2 (address or ID) near2 partition) not "15"	US-PGPUB; USPAT	OR	ON	2007/04/23 08:21
S32	170	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 with address with partition)	US-PGPUB; USPAT	OR	ON	2007/04/23 08:22

S33	84	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 near2 address with partition)	US-PGPUB; USPAT	OR	ON	2007/04/23 08:23
S34	59	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 with (IP or logical) with address with partition)	US-PGPUB; USPAT	OR	ON	2007/04/23 08:25
S35	16	(@ad<"20011203" or @rlad<"20011203") and (assign\$3 with (IP or logical) with address with partition) and (request\$3 with (IP or logical) with address)	US-PGPUB; USPAT	OR	ON	2007/04/23 08:40
S36	1152	(@ad<"20011203" or @rlad<"20011203") and (server with partition)	US-PGPUB; USPAT	OR	ON	2007/04/23 08:40
S37	304	(@ad<"20011203" or @rlad<"20011203") and (server with partition) and (IP adj address)	US-PGPUB; USPAT	OR	ON	2007/04/23 08:41
S38	46	(@ad<"20011203" or @rlad<"20011203") and (server with partition) and ((IP adj address) with partition)	US-PGPUB; USPAT	OR	ON	2007/04/23 08:55
S39	4	(@ad<"20011203" or @rlad<"20011203") and (server with partition) and ((IP adj address) with assign \$3 with partition)	US-PGPUB; USPAT	OR	ON	2007/04/23 09:03
S40	11	(@ad<"20011203" or @rlad<"20011203") and (server with partition) and ((IP adj address) with request\$3 with partition)	US-PGPUB; USPAT	OR	ON	2007/04/23 08:55
S41	2	(@ad<"20011203" or @rlad<"20011203") and ((IP adj address) near assign \$3 near2 partition)	US-PGPUB; USPAT	OR	ON	2007/04/23 09:04
S42	145	(@ad<"20011203" or @rlad<"20011203") and (fabric with address with assign\$3)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:32
S43	104	(@ad<"20011203" or @rlad<"20011203") and (fabric with address near2 assign\$3)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:32

S44	0	(@ad<"20011203" or @rlad<"20011203") and (fabric with address near2 assign\$3 with partition)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:33
S45	3	(@ad<"20011203" or @rlad<"20011203") and (fabric with address near2 assign\$3 with adaptor)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:33
S46	11	(@ad<"20011203" or @rlad<"20011203") and (fabric with address near2 assign\$3 with (adaptor or adapter))	US-PGPUB; USPAT	OR	ON	2007/12/06 08:47
S47	187	(@ad<"20011203" or @rlad<"20011203") and (address near2 assign\$3 with (adaptor or adapter))	US-PGPUB; USPAT	OR	ON	2007/12/06 08:47
S48	3	(@ad<"20011203" or @rlad<"20011203") and (address near2 assign\$3 with (adaptor or adapter) with partition)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:49
S49	87	(@ad<"20011203" or @rlad<"20011203") and (address near2 assign\$3 with partition)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:49
S50	0	(@ad<"20011203" or @rlad<"20011203") and (address near2 assign\$3 with partition with fabric)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:49
S51	6	(@ad<"20011203" or @rlad<"20011203") and (address near2 assign\$3 with partition with network)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:53
S52	0	(@ad<"20011203" or @rlad<"20011203") and (address near2 request\$3 with partition with network)	US-PGPUB; USPAT	OR	ON	2007/12/06 08:53
S53	50	(@ad<"20011203" or @rlad<"20011203") and (address near2 request\$3 with partition)	US-PGPUB; USPAT	OR	ON	2007/12/06 09:00
S54	42	(@ad<"20011203" or @rlad<"20011203") and (allocat\$3 near2 address near2 partition)	US-PGPUB; USPAT	OR	ON	2007/12/06 09:01
S55	0	(@ad<"20011203" or @rlad<"20011203") and (allocat\$3 near2 address near2 partition) with fabric	US-PGPUB; USPAT	OR	ON	2007/12/06 09:01

S56	5	(@ad<"20011203" or @rlad<"20011203") and (allocat\$3 near2 address near2 partition) with network	US-PGPUB; USPAT	OR	ON	2007/12/06 09:01
S57	0	(@ad<"20011203" or @rlad<"20011203") and (partition with (address or identifier or identification or ID) with unique with world)	US-PGPUB; USPAT	OR	ON	2008/08/19 09:19
S58	511	(@ad<"20011203" or @rlad<"20011203") and ((address or identifier or identification or ID) with unique with world)	US-PGPUB; USPAT	OR	ON	2008/08/19 09:19
S59	0	(@ad<"20011203" or @rlad<"20011203") and ((address or identifier or identification or ID) with unique with world) same partitions	US-PGPUB; USPAT	OR	ON	2008/08/19 09:20
S60	60	(@ad<"20011203" or @rlad<"20011203") and ((address or identifier or identification or ID) with unique with world) and partition	US-PGPUB; USPAT	OR	ON	2008/08/19 09:20
S61	12	(@ad<"20011203" or @rlad<"20011203") and ((address or identifier or identification or ID) with unique with world) and partition with server	US-PGPUB; USPAT	OR	ON	2008/08/19 09:20
S62	13	("6687766" "7085860" "7089234" "6807579" "7409448")	USPAT	OR	OFF	2008/08/19 12:13
S63	15	("6687766" "7085860" "7089234" "6807579" "7409448")	US-PGPUB; USPAT	OR	OFF	2008/08/19 12:13
S64	5	("6687766" "7085860" "7089234" "6807579" "7409448").pn.	US-PGPUB; USPAT	OR	OFF	2008/08/19 12:13

11/14/08 8:17:36 AM

C:\Documents and Settings\jmattis\My Documents\EAST\Workspaces\10006948.wsp